

571/H Gun Metal Gate Valve Hattersley Type Screwed Ends

Description

- NETA Gun Metal Gate Valve Hattersley Type
- Screwed in Bonnet
- Inside Screw
- Non-Rising Stem
- Integral Seats
- Screwed Female BSP Parallel Ends
- Handwheel Operated

Test Pressure

Hyd. Tested to 21 Kgf/cm²

Certification

Our Works Test Certificate

Application : Water

HSN : 84818020



Materials

PNo.	Part	Nos.	Material	Standard
1	Handwheel Nut / Set Screw	1	M.S.	IS:1367
2	Washer	1	M.S.	IS:226
3	Handwheel	1	C.I. / M.S.	IS:210 Gr.FG200 / IS:226
4	Stem	1	Brass / G.M.	IS:6912 Gr.FLB/ IS:318 Gr.LTB2
5	Gland Nut	1	Brass / G.M.	IS:6912 Gr.FLB/ IS:318 Gr.LTB2
6	Gland Packing	-	Asbestos	IS:4687
7	Bonnet	1	Brass / G.M.	IS:6912 Gr.FLB/ IS:318 Gr.LTB2
8	Wedge	1	Brass / G.M.	IS:6912 Gr.FLB/ IS:318 Gr.LTB2
9	Body	1	G.M.	IS:318 Gr.LTB2
10	Gland	1	G.M.	IS:318 Gr.LTB2
11	Stem Check Nut	1	G.M.	IS:318 Gr.LTB2

Dimensions

Nominal Size (Inches)	Nominal Size (mm)	L ±1.5	H App.	W App.	T - BSP Parallel Threads
1/2	15	41.5	86	52	1/2
3/4	20	43	104	59	3/4
1	25	48	118	61	1
1.1/4	32	56	136	72	1.1/4
1.1/2	40	57.5	160	90	1.1/2
2	50	62	184	90	2
2.1/2	65	71.5	225	120	2.1/2
3	80	71.5	252	128	3

