

## NMW-21A Bronze Ball Valve Screwed Ends

### Description

- NETA Bronze Ball Valve
- Full Bore
- Two Piece Design
- with Stainless Steel (AISI - 410) Ball and Blow-out Proof Stem
- Teflon (PTFE) Body Seat Rings and Seals
- Lever Operated
- Screwed Female Ends
- BSP (IS:554) Parallel Threads

### Test Pressure

Test Pressure : 300 PSIG Hyd.

### Certification

Our Works Test Certificate

### Application : Water, Air

**HSN : 84818020**



### Materials

PNo.	Part	Nos.	Material	Standard
1	Lever Nut	1	M.S. / S.S.	IS:226 / AISI - 304
2	Lever	1	M.S. / S.G. Iron	IS:226 / IS:1865 Gr.400/15
3	Gland	1	Brass / G.M.	IS:6912 Gr.FLB / IS:318 Gr.LTB2
4	Gland Packing	-	Teflon	PTFE BS:EN 12086 - 1
5	Stem	1	S.S. 13% Cr.	ASTM A182 Gr.F6a / AISI - 410
6	Body	1	G.M.	IS:318 Gr.LTB2
7	Ball	1	S.S. 13% Cr.	ASTM A182 Gr.F6a / AISI - 410
8	Body Seat Ring	2	Teflon	PTFE BS:EN 12086 - 1
9	Body Connector	1	G.M.	IS:318 Gr.LTB2

### Dimensions

Nominal Size (Inches)	Nominal Size (mm)	L ±1.5	H App.	W App.	T - BSP Parallel Threads
1/2	15	57	47	96	1/2
3/4	20	64	52	109	3/4
1	25	75	60	120	1
1.1/4	32	90	80	146	1.1/4
1.1/2	40	100	87	170	1.1/2
2	50	124	98	206	2
2.1/2	65	149	150	305	2.1/2
3	80	174	164	305	3
4	100	210	197	305	4

