

19(a) Bronze Vertical Check Valve Screwed Ends

Description

- NETA Bronze Vertical Check Valve
- 13% Cr. Stainless Steel (ASTM A182 Gr.F6a / AISI - 410) Trim
- Screwed Female Ends
- BSP Parallel Threads

Test Pressure

Max. Working Pressure : 250 PSIG
 Max. Working Temperature : 220°C
 Test Pressure : 500 PSIG Hyd.

Certification

IBR Test Certificate in FORM III-C duly signed by the Director of Boilers, Punjab is provided for Valves to be used on steam service.
 For liquid service our own Works Test Certificate shall be issued.

Application : Steam, Water, Oil

HSN : 84818020



Materials

PNo.	Part	Nos.	Material	Standard
1	Upper Body	1	Bronze	IBR 282[a][iv] Gr.B
2	Disc	1	S.S. 13% Cr.	ASTM A182 Gr.F6a / AISI - 410
3	Body Seat Ring	1	S.S. 13% Cr.	ASTM A182 Gr.F6a / AISI - 410
4	Lower Body	1	Bronze	IBR 282[a][iv] Gr.B

Dimensions

Nominal Size (Inches)	Nominal Size (mm)	T	H ±1.5
1/2	15	1/2	73
3/4	20	3/4	76
1	25	1	89
1.1/4	32	1.1/4	115
1.1/2	40	1.1/2	127
2	50	2	153

